

SCHEDULE A

Date: May 1, 2009

State of Idaho
DEPARTMENT OF LANDS
REQUEST FOR QUOTATIONS
THIS IS NOT AN ORDER

Requisition Number 09-213

BIDS CLOSE: June 2, 2009
3:00 P.M.

IMPORTANT INSTRUCTIONS:

The right is reserved to accept or reject quotations on each item separately or as a whole. Special brands, when named, are only to indicate the standard of quality desired. Bidders may bid on their equal. Offerings on other brands, if their equal, will be considered, but brands or descriptions of the equals must be plainly stated. Bidders will use this form in submitting prices.

Prices must be given in the "unit of quantity" we ask for. For example: If we ask for an item by the "piece," bid by the "piece"; if we ask for it by the "foot," bid by the "foot," etc.

To These specifications were written by: IDAHO DEPARTMENT OF LANDS
300 N 6th St. Ste 103 Boise, ID 83702- Phone: (208) 334-0256

Destination As per project description(s) and map(s)

QUOTE ALL PRICES F.O.B. POINT OF DESTINATION

QUAN.	UNIT	ARTICLES	UNIT PRICE	AMOUNT
		Forest Aerial Spray Contract No.09-213 per attached contract terms and project descriptions and maps. <u>Please sign and return this page with your bid(s).</u> Submit bid(s) on attached bid forms (Schedule A). FAXED bids will not be accepted. I carry workers' compensation insurance and will furnish a certificate of coverage._____ I do not carry workers' compensation insurance._____ In what <u>State</u> is the bidder domiciled _____. In determining "domicile" the following "rule of thumb" will be used; Corporation -In what state is the Corporation chartered or incorporated. Sole Proprietor or Partnership - In what state is the permanent headquarters or business located. Failure to furnish information on state of domicile may result in rejection of bid. NOTICE: See attached sheet for explanation of Standard Bidder Information . NOTICE: These projects are aerial spray projects using helicopters in mountainous terrain. Contractors must have a valid Idaho Professional Applicator Pesticide License to be an eligible qualified bidder (see Schedule A).		

Discounts will be accepted but cannot be used to determine the lowest bid.

We have stated hereon the prices at which we will furnish and at destination named above, the articles or services as specified. Delivery will be made within _____ days from receipt of order.

Delivery requested As per project description(s).

Firm _____

Street _____

City _____ State _____

Zip Code _____ email address: _____

Phone _____ FAX _____

Signed by _____

Mail your bids to:

Idaho Department of Lands
300 N 6th St. Ste 103
Boise, Idaho 83702-

**ATTACHMENT 1
BIDDING SCHEDULE A
CONTRACT NO. 09-213
FOREST AERIAL SPRAY**

SUPERVISORY AREA	PROJECT NAME AND NUMBER	NUMBER OF ACRES	PRICE PER ACRE	TOTAL EXTENDED AMOUNT
ST. JOE Contract No 09-213-300566	North Wilson Herbicide Spraying FM #30-566-104-09	87	\$	\$
MAGGIE CREEK Contract No 09-213-420111	Maggie Creek Aerial Site Prep FM #42-111-104-09	281	\$	\$
Southwest Contract No. 09-213-600303	Hardrock Herbicide FM #60-303-107-09	320		

Any additional work required under this contract but not scheduled will be performed at the rates shown herein. An approved and signed contract modification will be required prior to the starting of additional work.

In the case of math errors, the **PRICE PER ACRE** will be correctly extended and the corrected **TOTAL EXTENDED AMOUNT** will be the basis for bid award.

Those bid item(s), **NUMBER OF ACRES** must have the **PRICE PER ACRE** listed in the **PRICE PER ACRE** column, and the extended project price for each bid item in the **TOTAL EXTENDED AMOUNT** column. **TOTAL AMOUNT** for each project should be in the **TOTAL EXTENDED AMOUNT ROW**.

Applicators Name	Idaho State Professional Applicator License Number
<hr/>	<hr/>
<hr/>	<hr/>

CONTRACTOR'S COMPANY NAME:

CONTRACTOR'S NAME:

CONTRACTOR'S SIGNATURE:

TAX ID #	Email (if available)
<hr/>	<hr/>

Page Left Blank for Two Sided Printing

**FOREST AERIAL SPRAY
CONTRACT NO. 09-213**

Bid Return Mailing Information

Please return bid proposals to the Directors office in Boise at the following address. Include the following information on the front of the envelope to insure timely processing of your bid.

Bid proposals must be received at the Directors office in Boise by 3:00 pm local time on the closing date.

Your Return address

SEALED PROPOSAL FOR
CONTRACT NO. 09-213
CLOSING DATE
June 2, 2009

STATE OF IDAHO
DEPARTMENT OF LANDS
300 N 6th St. Ste 103
BOISE, ID 83702

For Federal Express or Postal Express mail to:

Idaho Department of Lands,
300 N. 6th Street - Ste 103
Boise, Idaho 83702
Phone: 208-334-0200

Please note on the envelope:

SEALED BID PROPOSAL FOR CONTRACT NO. 09-213

Page Left Blank for Two Sided Printing

IDAHO DEPARTMENT OF LANDS

STANDARD BIDDER INFORMATION

ADDENDA

It will be the bidder's responsibility to check for any addenda prior to submitting a bid, proposal, or quotation. In the event it becomes necessary to revise any part of the solicitation documents, addenda will be made available. Information given to a bidder will be available to all other bidders if such information is necessary for purposes of submitting a bid or proposal or if failure to give such information would be prejudicial to uninformed bidders.

BURDEN OF PROOF

ANY VARIATIONS of brand names or deviations from the specifications MUST BE CLEARLY STATED. It shall be the responsibility and burden of the submitting vendor to furnish the State WITH ITS ORIGINAL SUBMISSION sufficient data to determine if the goods or services offered conform to the specifications.

ORAL INFORMATION

The State will not be responsible for any verbal or oral information regarding a bid.

BIDDER DISQUALIFICATION AND AWARD INFORMATION

The State reserves the right to make reasonable inquiry to determine the responsibility of a bidder or offerer. Such requests may include but not be limited to financial statements, credit ratings, statements of experience and past performance, references, etc. Successful bidders must show to the satisfaction of the Idaho Department of Lands that they have sufficient equipment and work crews to complete the work contracted by the time specified. The unreasonable failure of a bidder or offerer to promptly supply information in connection with such a bid is reason for disqualification. Except as otherwise provided by law, information furnished by the bidder or offerer pursuant to this provision may not be disclosed outside the Idaho Department of Lands without prior written consent of the bidder or offerer. Disqualification of a "lower price bid" may be pursued when a bidder's reputation, experience or references are such as to create a doubt about satisfactory job completion or if the bid prices are considerably below department estimates and the other bid prices. The Purchasing/Contracts Agent will contact the bidder and request that they disqualify themselves by withdrawing in writing. If the bidder refuses to withdraw, the Purchasing/ Contracts Agent may notify the bidder in writing that we will not offer them a contract and proceed with an award to the next responsible bidder.

PARTNERSHIPS

Contractors bidding as partners must furnish the Department the name of the partnership, names of the partners, and the partnership's Federal taxpayer I.D number. All payments will be made to the partnership.

INTERNAL REVENUE SERVICES REPORTING REQUIREMENT

IRS rules and regulations require employers to submit a miscellaneous income form (IRS form 1099) for all contractual persons who receive \$600 or more in a calendar year. Incorporated firms are exempt from this reporting requirement. The contractor's taxpayer identification number (Social Security or employer number) must be listed on the signature page of the contract.

PUBLIC RECORDS

The Idaho Public Records Law, Idaho Code Sections 9-337 through 9-348, allows the open inspection and copying of public records. Public records include any writing containing information relating to the conduct or administration of the public's business prepared, owned, used, or retained by a state or local agency regardless of the physical form or character. ALL, OR MOST (there are exceptions), OF THE INFORMATION CONTAINED IN YOUR RESPONSE TO THE STATE'S SOLICITATION WILL BE A PUBLIC RECORD SUBJECT TO DISCLOSURE UNDER THE PUBLIC RECORDS LAW.

WORKERS COMPENSATION INSURANCE

All persons working for the State under any contract of hire, expressed or implied, must be covered by worker's compensation insurance. (Reference Title 72, Idaho Code).

No contractor may sign an affidavit or waiver of any kind declaring himself exempt from coverage.

Any contractor who hires employees to accomplish the contracted work must provide a certificate of worker's compensation insurance.

The Department of Lands may pay worker's compensation insurance premiums on behalf of the contractor if the contractor has no employees and, except for the provisions in this contract, is not otherwise required to carry worker's compensation insurance. The contractor must indicate he does not carry worker's compensation by checking the appropriate statement on the bid form. The cost of the premium will be tallied in the bid evaluation so that a contractor paying worker's compensation premiums is not penalized. In no event will the premium be paid to the contractor.

Example: Bidder #1 bid total = \$8,000.00
Bidder does not provide worker's compensation

Bidder #2 bid total = \$9,000.00
Bidder provides worker's compensation

The following procedure will be used to evaluate the bid without worker's compensation.

(EXAMPLE – ALL RATES ARE EXAMPLES ONLY)

Bid price times applicable worker's compensation rate times current Department of Lands' percentage reduction rate added to bid price.

<u>Bidder #1</u>	<u>Worker's Class Rate</u>		<u>Reduction Rate</u>	<u>Premium Amt.</u>
\$8,000.00	x rate \$31.00 per/100	x	67.5	= \$1,674.00
			Plus bid amount	+8,000.00
			Total bid price	\$9,674.00

Bidder #2 would be the successful bidder and furnish a certificate to the Department.

PREFERENCES

Section 67-2349, Idaho Code, requires application of a preference in determining which bidder submitted the lowest responsible bid. If the bidder who submitted the lowest bid is domiciled in a state which has a preference law that penalizes Idaho domiciled bidders, then the State must apply a preference. The penalty applied to out-of-state bidders competing against Idaho bidders is determined by the penalty applied by the bidder's domiciliary state to its out-of-state bidders.

In determining domicile, the following "rule of thumb" will be used: Corporations – the state in which the corporation is chartered or incorporated; Sole proprietor or partnership – the state in which the permanent headquarters of the business is located.

A bidder domiciled outside the boundaries of the state of Idaho may be considered as an Idaho domiciled bidder provided that there exists for a period of one year preceding the date of the bid a significant Idaho economic presence as defined herein. A significant Idaho economic presence shall consist of the following: (a) That the bidder maintain in Idaho fully staffed offices, or fully staffed sales offices or divisions, or fully staffed sales outlets, or manufacturing facilities, or warehouses or other necessary related property; and (b) if a corporation, that it be registered and licensed to do business in the state of Idaho with the office of the secretary of state.

REJECTION OF BIDS AND CANCELLATION OF BID SOLICITATION

Prior to the issuance of a contract, the State shall have the right to accept or reject all or any part of a bid or proposal or any and all bids or proposals when: (i) it is in the best interests of the State of Idaho; (ii) the bid does not meet the minimum bid specifications; (iii) the bid is not the lowest responsible bid; (iv) a finding is made based upon available evidence that a bidder is not responsible or is otherwise incapable of meeting specifications or providing an assurance of ability to fulfill contract requirements; or (v) the item offered

deviates to a major degree from the bid specifications, as determined by the State (minor deviations, as determined by the State, may be accepted as substantially meeting the bid requirements of the State of Idaho). Deviations will be considered major when such deviations appear to frustrate the competitive bidding process or provide a bidder an unfair advantage. Prior to the issuance of a contract, the State shall have the right to reject all bids, proposals, or quotations or to cancel a solicitation or request for quotations. Cancellation may be for reasons that include but are not limited to: (i) inadequate or ambiguous specifications; (ii) specifications have been revised; (iii) property is no longer required; (iv) there is a change in requirements; (v) all bids are deemed unreasonable or sufficient funds are not available; (vi) bids were not independently arrived at or were submitted in bad faith; (vii) it is determined that all requirements of the bid process were not met; (viii) insufficient competition; or (ix) it is in the best interests of the state of Idaho.

BID AWARD PROCEDURES

For contracts with a total solicitation value of \$75,000 or less, the State will mail a contract award to the successful bidder(s) within five (5) working days following the bid closure date.

For contracts with a total solicitation value of more than \$75,000, the State will notify all bidders within five (5) working days following the bid closure, by mail and/or fax, of its intent to award a contract and the party(ies) to whom the contract will be awarded. After elapse of the five (5) day appeal period set forth in Idaho Code (see Administrative Appeals below), and there being no appeals received, the State will award a contract to the successful bidder(s).

Bidders to whom a contract has been awarded will have fourteen (14) calendar days from the mailing date of the award notice to return to the State a signed copy of the contract along with the required bonding and certificates of insurance. If the State does not receive such documents within the specified time period, the State may declare, at its sole discretion, that all bidder's rights to the contract are forfeited, and the State may proceed without further delay or notice to award the contract to the next low bidder.

ADMINISTRATIVE APPEALS

The law the State follows in administrative appeals is set forth at Section 67-5733, Idaho Code.

Page Left Blank for Two Sided Printing

STATE OF IDAHO
DEPARTMENT OF LANDS



FOREST AERIAL SPRAY

CONTRACT NO. 09-213

**STATE OF IDAHO
DEPARTMENT OF LANDS**

**FOREST AERIAL SPRAY
CONTRACT NO. 09-213**

TABLE OF CONTENTS

DIVISION A - GENERAL SPECIFICATIONS	1
1. DEFINITIONS AND TERMS AND ABBREVIATIONS	1
2. CONTRACT RELATIONSHIP	1
3. CONTRACTOR RESPONSIBILITY	2
4. SUBCONTRACTING	2
5. ANTIDISCRIMINATION/EQUAL EMPLOYMENT OPPORTUNITY CLAUSE	2
6. WORKMAN'S COMPENSATION INSURANCE	2
7. TAXES	2
8. LICENSES, PERMITS & FEES	3
9. STATE OF IDAHO MINIMUM WAGE LAW	3
10. AFFIDAVIT OF COMPLIANCE	3
11. SAVE HARMLESS	3
12. OFFICIALS, AGENTS AND EMPLOYEES OF THE STATE NOT PERSONALLY LIABLE	3
13. RISK OF LOSS	3
14. ASSIGNMENTS	3
15. PROHIBITED CONTRACTS	3
16. GOVERNMENT REGULATIONS	4
17. SAFETY INFORMATION	4
18. USE OF THE STATE OF IDAHO NAME	4
19. CONTRACT TERMINATION	4
20. APPROPRIATION BY LEGISLATURE REQUIRED	5
21. FORCE MAJEURE	5
22. GOVERNING LAW	5
23. ENTIRE AGREEMENT	5
24. MODIFICATION	6
25. PERFORMANCE BONDS	6
26. ITEMS TO BE FURNISHED BY THE CONTRACTOR	6
27. ITEMS TO BE FURNISHED BY THE STATE:	6
28. TRASH CLEANUP	7
29. CAMPING ON STATE LAND	7
30. FIRE PREVENTION RESPONSIBILITIES	7
31. CONTRACT PERIOD	7
32. PERFORMANCE OF THE CONTRACTOR	8
33. INSPECTIONS AND PAYMENT	8
34. CONTRACT ADMINISTRATION	8
35. PAYMENT AND COMPLIANCE	8
36. WORK PROGRESS AND CONTRACT PERFORMANCE	9
37. INSURANCE REQUIREMENTS AND LIABILITY	9
38. SAFETY REQUIREMENTS	10

Forest Aerial Spray Contract
Contract No. 09-213

Table of Contents Continued

DIVISION B - TECHNICAL SPECIFICATIONS	10
1. LOCATION AND ACREAGE DETERMINATION	10
2. CERTIFICATION	11
3. AIRCRAFT AND SPRAY EQUIPMENT REQUIREMENTS	11
4. HELICOPTERS	11
5. APPLICATION AND SPRAY SYSTEM REQUIREMENTS	12
6. AIRCRAFT SPRAY SYSTEMS	12
7. INFORMATION LIST	14
8. SPRAY SHIP RADIO RECEIVER/TRANSMITTER EQUIPMENT	14
9. FACILITATING EQUIPMENT	15
10. ITEMS TO BE FURNISHED BY THE STATE	16
11. HELISPOTS	16
12. PERSONNEL	17
13. RECONNAISSANCE FLIGHTS	18
14. BUFFER ZONES & CONTROL AREAS	18
15. HERBICIDE SPECIFICATIONS	18
16. AERIAL SPRAY APPLICATION	18
17. CHEMICAL SPILLAGE	19
Signature Page	20

**STATE OF IDAHO
DEPARTMENT OF LANDS**

**FOREST AERIAL SPRAY
CONTRACT NO. 09-213**

DIVISION A - GENERAL SPECIFICATIONS

1. DEFINITIONS AND TERMS AND ABBREVIATIONS

- a. Attachments: The attached project description(s), maps, and other labeled references are a part of this contract, and any special terms therein are binding upon all parties.
- b. State Department of Lands (IDL): Acceptable and legal references to the Idaho Department of Lands for the purposes of this contract.
- c. Contract Supervisor: The designated department representative who will provide on-the-ground administration of this contract.
- d. Contractor's Representative: The Contractor's designated representative, authorized in writing, to be present on the project area and to act on behalf of the Contractor.
- e. Federal Air Regulations (FAR): Federal Air Regulations as defined by the Federal Aviation Administration, United States Department of Transportation.
- f. Federal Aviation Administration (FAA): Federal Aviation Administration United States Department of Transportation.
- g. Purchasing/Contracts Agent: The Contracting Officer for the Idaho Department of Lands.
- h. Pilot-in-Command: The pilot responsible for the aerial operation and safety of the helicopter during each aerial spraying operation.
- i. Payload: The amount (gallons) of spray mixture carried by the helicopter aerial spraying system.
- j. Unit: The unit(s) for purposes of this contract, are shown on the project map(s).

2. CONTRACT RELATIONSHIP

It is distinctly and particularly understood and agreed between the parties that this contract does not create an employer/employee relationship. Furthermore, the State of Idaho is in no way associated or otherwise connected with the performance of any service under this contract on the part of the Contractor or with the employment of labor or the incurring of expenses by the Contractor. Said Contractor is an independent contractor in the performance of each and every part of this contract, and solely and personally liable for all labor, taxes, insurance, required bonding and other expenses, except as specifically stated herein, and for any and all damages in connection with the operation of this contract, whether it may be for personal injuries or damages of any other kind. The Contractor shall exonerate, indemnify and hold the State of Idaho harmless from and against and assume full responsibility for payment of all federal, state and local taxes or contributions imposed or required under unemployment insurance, social security, and income tax laws with respect to the Contractor or Contractor's employees engaged in performance under this contract.

3. CONTRACTOR RESPONSIBILITY

The Contractor shall be required to assume responsibility for production and delivery of all material and services included in this contract, whether or not the Contractor is the manufacturer or producer of such material or services. Further, the Contractor will be the sole point of contact on contractual matters, including payment of charges resulting from the use or purchase of goods or services.

4. SUBCONTRACTING

Unless otherwise allowed by the State in this contract, the Contractor shall not, without written approval from the State, enter into any subcontract relating to the performance of this contract or any part thereof. Approval by the State of Contractor's request to subcontract or acceptance of or payment for subcontracted work by the State shall not in any way relieve the Contractor of responsibility for the professional and technical accuracy and adequacy of the work. The Contractor shall be and remain liable for all damages to the State caused by negligent performance or non-performance of work under the contract by Contractor's subcontractor or its sub-subcontractor.

5. ANTIDISCRIMINATION/EQUAL EMPLOYMENT OPPORTUNITY CLAUSE

Acceptance of this contract binds the Contractor to the terms and conditions of Section 601, Title VI, Civil Rights Act of 1964 in that "No person in the United States shall, on the grounds of race, color, national origin, or sex, be excluded from participation in, be denied the benefits of, or be subject to discrimination under any program or activity receiving Federal financial assistance." In addition, "No otherwise qualified handicapped individual in the United States shall, solely by reason of his handicap, be excluded from the participation in, be denied the benefits of, or be subjected to discrimination under any program or activity receiving federal financial assistance" (Section 504 of the Rehabilitation Act of 1973). Furthermore, for contracts involving federal funds, the applicable provisions and requirements of Executive Order 11246 as amended, Section 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974, Section 701 of Title VII of the Civil Rights Act of 1964, the Age Discrimination in Employment Act of 1967 (ADEA), 29 USC Sections 621, et seq., the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, U.S. Department of Interior regulations at 43 CFR Part 17, and the Americans with Disabilities Action of 1990, are also incorporated into this contract. The Contractor must include this provision in every subcontract relating to purchases by the State to insure that subcontractors and vendors are bound by this provision.

6. WORKMAN'S COMPENSATION INSURANCE

The Contractor will maintain and pay for any applicable workman's compensation insurance and will provide a certificate of same. If the Contractor does not have employees and is not otherwise required to carry workman's compensation insurance under the laws of the State of Idaho, the Idaho Department of Lands will furnish workman's compensation insurance for work done under this contract unless otherwise specified in the contract. The cost to the Idaho Department of Lands for furnishing such workman's compensation insurance will be added to the Contractor's bid price for purposes of bid evaluation only. In no event will said amount be paid to the Contractor.

7. TAXES

If the Contractor is required to pay any taxes incurred as a result of doing business with the State of Idaho, it shall be solely and absolutely responsible for the payment of those taxes.

8. LICENSES, PERMITS & FEES

The Contractor shall, without additional expense to the State, obtain all required licenses and permits and pay all fees necessary for executing provisions of this contract unless specifically stated otherwise herein.

9. STATE OF IDAHO MINIMUM WAGE LAW

It will be the responsibility of the Contractor to fully comply with Section 44-1502, Idaho Code, regarding minimum wage.

10. AFFIDAVIT OF COMPLIANCE

The Contractor, upon completion of the project work, must furnish the Idaho Department of Lands with a notarized affidavit stating that:

- a. At least the minimum Idaho wage was paid.
- b. There was compliance with all labor laws.
- c. All debts incurred as a result of this contract were paid.
- d. Any further claims against the State of Idaho under this contract are relinquished, pending payment for services rendered.

11. SAVE HARMLESS

Contractor shall indemnify and hold harmless the State of Idaho from any and all liability, claims, damages, costs, expenses, and actions, including reasonable attorney fees, caused by or that arise from the negligent or wrongful acts or omissions of the Contractor, its employees, agents, or subcontractors under this contract that cause death or injury or damage to property or arising out of a failure to comply with any state or federal statute, law, regulation or act.

12. OFFICIALS, AGENTS AND EMPLOYEES OF THE STATE NOT PERSONALLY LIABLE

In no event shall any official, officer, employee or agent of the State of Idaho be in any way personally liable or responsible for any covenant or agreement herein contained whether expressed or implied, nor for any statement, representation or warranty made herein or in any connection with this contract. This section shall not apply to any remedies in law or at equity against any person or entity that exist by reason of fraud, misrepresentation or outside the terms of this contract.

13. RISK OF LOSS

Risk of loss and responsibility and liability for loss or damage will remain with Contractor until final inspection and acceptance when responsibility will pass to the State except as to latent defects, fraud and Contractor's warranty obligations. Such loss, injury or destruction shall not release the Contractor from any obligation under this Contract. If installation is requested by the State or specified in the State's bidding documents, pricing shall include all charges associated with a complete installation at the location specified.

14. ASSIGNMENTS

The Contractor shall not assign a right or delegate a duty under this contract without the prior written consent of the State.

15. PROHIBITED CONTRACTS

No member of the legislature or officer or employee of any branch of the state government shall directly himself, or by any other person execute, hold or enjoy, in whole or in part, any contract or agreement made or entered into by or on behalf of the state of Idaho, if made by, through or on

behalf of the department in which he is an officer or employee or if made by, through or on behalf of any other department unless the same are made after competitive bids. (Idaho Code Section 67-5726(1)).

16. GOVERNMENT REGULATIONS

- a. The Contractor shall abide by and comply with all laws and regulations of the United States, the State of Idaho including the Forest Practices Act (Title 38, Chapters 1 and 13, Idaho Code), counties or other governmental jurisdictions wherein the work is executed insofar as they affect this contract. The Contractor will make all payments, contributions, remittances, and all reports and statements required under said laws.
- b. Contractor guarantees that all items meet or exceed those requirements and guidelines established by the Occupational Safety and Health Act, Consumer Product Safety Council, Environmental Protection Agency, or other regulatory agencies.

17. SAFETY INFORMATION

- a. The Contractor assumes full responsibility for the safety of his employees, equipment and supplies.
- b. All chemicals, equipment and materials proposed and/or used in the performance of this Contract must conform to the standards required by the William-Steiger Occupational Safety and Health Act of 1970. Contractor must furnish all Material Safety Data Sheets (MSDS) for any regulated chemicals, equipment or hazardous materials at the time of delivery.

18. USE OF THE STATE OF IDAHO NAME

Contractor agrees that it will not, prior to, in the course of, or after performance under this contract, use the State's name in any advertising or promotional media as a customer or client of Contractor without the prior written consent of the State.

19. CONTRACT TERMINATION

- a. The State may terminate this contract, in whole or part, by written notice delivered to either the Contractor or his representative in any one of the following circumstances. Termination by the State for cause may result in forfeiture of Contractor's bond.
 - (1) Failure of the Contractor to perform any of the provisions of this contract.
 - (2) Failure of the Contractor to correct unsatisfactory performance or work immediately after it has been brought to his attention.
 - (3) Failure of the Contractor to make satisfactory progress in order to complete the work within the contract period.
 - (4) The State may terminate this contract at any time for the convenience of the State upon ten (10) calendar days' written notice specifying the date of termination.
- b. Upon termination, the Contractor shall:
 - (1) Promptly discontinue performing under the contract, unless the termination notice directs otherwise.
 - (2) Promptly return to the State control of the properties and any personal property provided by the State pursuant to the contract.

- (3) Deliver or otherwise make available to the State all data, reports, estimates, summaries and such other information and materials as may have been accumulated by Contractor in performing duties under the contract, whether completed or in process.
- c. Upon termination, the obligations and liabilities of the parties shall cease, except that the obligations or liabilities incurred prior to the termination date shall be honored. This paragraph shall not be interpreted to place any requirement on the State to accept or make payment to the Contractor for any unsatisfactory work.
- d. If the State terminates the contract, the State may take over the work and may award another party a contract to complete the work as stated by this contract.
- e. In the event of termination, the State shall pay all sums still due Contractor through the effective date of termination in full within thirty (30) days of a written demand and receipt of all items necessary from Contractor to allow the State to make payment.

20. APPROPRIATION BY LEGISLATURE REQUIRED

It is understood and agreed that the State is a government entity and this contract shall in no way or manner be construed so as to bind or obligate the state of Idaho beyond the term of any particular appropriation of funds by the State's Legislature as may exist from time to time. The State reserves the right to terminate this contract in whole or in part (or any order placed under it) if, in its judgment, the Legislature of the state of Idaho fails, neglects, or refuses to appropriate sufficient funds as may be required for the State to continue such payments. All affected future rights and liabilities of the parties hereto shall thereupon cease within ten (10) calendar days after notice to the Contractor. It is understood and agreed that the State's payments herein provided for shall be paid from Idaho State Legislative appropriations and, in some instances, direct federal funding.

21. FORCE MAJEURE

Neither party shall be liable or deemed to be in default for any Force Majeure delay in shipment or performance occasioned by unforeseeable causes beyond the control and without the fault or negligence of the parties, including, but not restricted to, acts of God or the public enemy, fires, floods, epidemics, quarantine, restrictions, strikes, freight embargoes, unusually severe weather, provided that in all cases the Contractor shall notify the State promptly in writing of any cause for delay and the State concurs that the delay was beyond the control and without the fault or negligence of the Contractor. If reasonably possible, the Contractor shall make every reasonable effort to complete performance as soon as possible.

22. GOVERNING LAW

This contract shall be construed in accordance with, and governed by the laws of the State of Idaho.

23. ENTIRE AGREEMENT

This contract, with the State's Invitation to Bid, Request for Proposal, or Request for Quotation, including any addenda (such deemed incorporated by reference) and the vendor's response, to the extent it is not in conflict with the specifications or the States terms and conditions (such document deemed incorporated by reference), constitute the entire agreement between the parties with respect to the subject matter hereof and shall supersede all previous bids, proposals, or quotations, both oral and written, discussions, representations, commitments, and all other communications between the parties. Where terms and conditions specified in the State's documents or the Contractor's response differ from those specifically stated in this contract, the terms and conditions of this contract shall apply.

24. MODIFICATION

This contract may not be released, discharged, changed or modified except by an instrument in writing signed by a duly authorized representative of each of the parties.

25. PERFORMANCE BONDS

Performance bonds in the amount of fifty percent (50%) of the total contract price will be held until all project work has been satisfactorily completed to guarantee full and faithful compliance with each and every term and condition as follows:

- a. Fifty percent (50%) of the total bid price in cash, by certified check, or money order made payable to the Treasurer, State of Idaho, must be submitted to the State prior to the execution of the contract by the Idaho Department of Lands. In lieu of a cash bond, bidders may submit a Certificate of Deposit or Letter of Credit in a form that is acceptable to the State. Such documents will be subject to approval by the Idaho Department of Lands prior to the execution of the contract.
- b. The fifty percent (50%) bond will be held for a period of thirty (30) days after completion of all chemical applications to guarantee full and faithful compliance with each and every term and all project specification(s).
- c. The fifty percent (50%) bond will be refunded to the Contractor upon satisfactory completion of all contracted projects and upon receipt of an affidavit of compliance as stipulated in Division A, paragraph 10.

26. ITEMS TO BE FURNISHED BY THE CONTRACTOR

- a. The Contractor will furnish all tools, equipment, labor, transportation, supervision, supplies, herbicide, herbicide storage, hauling and loading equipment as called for in the project description or as necessary to perform the work described herein.
- b. The Contractor will be responsible for insuring that the proper rate per acre of liquid herbicide is applied uniformly throughout the entire project area(s).
- c. A Contract Supervisor will be present for each project to work with the Contractor (or his representative) during the complete aerial spraying operations.
- d. The Contract Supervisor will determine whether or not the Contractor has adequate equipment, facilities, and qualified personnel to satisfy the requirements of the contract. The Contractor will comply with the decisions of the Contract Supervisor to make any necessary adjustments.

27. ITEMS TO BE FURNISHED BY THE STATE:

- a. A Contract Supervisor to acquaint the Contractor with each unit to be worked and to conduct periodic field inspections.
- b. Copies of State Administrative maps, project maps of the contract area, and one copy of aerial photographs which shall be returned once contract work has been completed.
- c. The Idaho Department of Lands will provide the necessary helispot(s) (see attached project map(s) for each project.
- d. Other items as per the project description(s).

28. TRASH CLEANUP

The Contractor shall be responsible for picking up and properly disposing of all trash generated as a result of this contract at the end of each day. This includes any camps made by Contractor personnel. Cleanup shall be done to the satisfaction of the Contract Supervisor and covered by the Contractor's performance bond.

29. CAMPING ON STATE LAND

Contractor personnel may, with written approval from the Idaho Department of Lands, camp during the contract period on State land. Such camping will be at the Contractor's own risk. Any camps will be made according to conditions set forth by the Idaho Department of Lands Supervisory Area, be in compliance with State Land Board rules and regulations for fire prevention.

30. FIRE PREVENTION RESPONSIBILITIES

- a. The Contractor will adhere to the State Land Board rules and regulations which set forth fire prevention safety precautions for woods operations. Such rules and regulations are available at any Idaho Department of Lands office. These rules and regulations will be outlined during the pre-work conference with the Contractor.
- b. The Contractor shall not build any open fires at any time of the year on the contract area without first obtaining written permission from the State.
- c. Fire spreading through the contract area which is a result of the Contractor's operation or employees' actions shall be the liability of the Contractor.

31. CONTRACT PERIOD

This contract will become effective once signed by all parties. Approximate starting and completion dates are listed in the attached project description(s).

The contract will terminate upon completion and inspection of all contracted projects unless terminated earlier by the State under any of the provisions of Division A, paragraph 19.a (1)-(4).

In the event the herbicide spraying cannot be completed as determined by the Contract Supervisor, the contract will be cancelled and the Contractor's bond refunded.

Under no circumstances will this contract be extended to the following season.

- a. Availability:
 - (1) The Contractor and the State will develop a mutually agreeable tentative schedule of herbicide application, within the contract period, for the attached project(s).
 - (2) The Contractor agrees to start herbicide application of the scheduled project(s) based upon the mutually agreed dates upon receipt of at least three (3) days advance notice from the State.
 - (3) Once the Contractor starts herbicide application on the attached project(s), said operation will be carried out continuously, as per the contract requirements, until herbicide application is completed.

32. PERFORMANCE OF THE CONTRACTOR

Failure of the Contractor to commence operations as mutually agreed upon by the Contractor and the State to maintain the required production rate, to complete operations as prescribed herein, or failure to meet other terms of the contract, shall give the Idaho Department of Lands the right to cancel the contract as provided for in Division A, paragraph 19.a.(1)-(3). Such cancellation shall not affect any rights of the State of Idaho for recovery of damages from any payment for services due Contractor or from the bond hereinbefore provided for in any action at law or in equity.

33. INSPECTIONS AND PAYMENT

Inspection reports will be furnished to the Contractor by the Contract Supervisor so that any deficiencies may be corrected as contract work progresses.

Payment schedules are specified in each attached project description. Payment to be made at the rate(s) set forth in Schedule A attached hereto.

34. CONTRACT ADMINISTRATION

- a. The Contract Supervisor will administer the contract as required in all specifications.
- b. Disputes between the Contract Supervisor and the Contractor will be resolved by the State.
- c. The Contract Supervisor has the following authority in addition to that delegated in other portions of the contract:
 - (1) Decide questions of fact arising in regard to quality and acceptability of equipment to be used, materials furnished, and all work performed.
 - (2) Make recommendations for payment.

35. PAYMENT AND COMPLIANCE

- a. Payment will be made to the Contractor by the State on the basis of acceptable completed acres.
 - (1) Should a project area remain only partially completed through no fault of the Contractor:
 - i. That acreage which received the full prescribed dosage of active ingredients per acre will be traversed, and the Contractor will be paid for this completed acreage.
 - ii. Contract prices will not apply to those contract acres on which only part of the fully prescribed dosage was applied provided the lesser dosage application was approved by the Contractor Supervisor prior to treatment. The state will pay the Contractor for those acres treated at the reduced dosage at one-half the contract bid rate per acre.
- b. Failure of the Contractor to commence operations as described above, to maintain the required production rate, to complete operations as described above, or failure to meet other terms of this contract, shall give the State of Idaho its right to cancel the contract by written notice to the Contractor.
- c. The Contractor's performance bond may be forfeited as liquidated damages if the State elects to terminate this contract under any of the conditions stated above.

- d. If State crews and/or equipment have been used to clean up chemical spillage on any projects as specified in Division B, the state will deduct all cleanup costs from the total contract payment on each said project.

36. WORK PROGRESS AND CONTRACT PERFORMANCE

- a. Before starting work, the Contractor shall contact the Contract Supervisor to discuss the contract terms, work performance requirements, and tentative work schedule. Topics for discussion will include, but not be limited to, procedures used in marking the areas; handling, mixing, and application of the herbicide; aircraft capabilities; work site location; safety, etc. Participation at this meeting is required.
- b. The Contractor shall begin work in areas specified by the Contract Supervisor. Such areas will be defined at the pre-work conference. Units must be satisfactorily completed before work on other units may start.
- c. The State may terminate in whole or any part of this contract by written notice in any one of the following circumstances:
 - (1) Failure of the Contractor to perform any of the provisions of this contract.
 - (2) Failure of the Contractor to correct unsatisfactory performance or work immediately after it has been brought to his attention.
 - (3) Failure of the Contractor to make satisfactory progress in order to be able to complete the work within the contract period.
 - (4) That by any reason of change in plans, the State does not require completion of project (contract) work. All satisfactory work shall be paid for by the State on a prorated basis. The State shall have the right to ownership of such work if the partially completed work is useable or acceptable to the State.
- d. The Contractor's performance bond may be forfeited as liquidated damages if the State elects to terminate this contract under any of the provisions of this contract.

37. INSURANCE REQUIREMENTS AND LIABILITY

- a. The Contractor will hold and save the State harmless from all liability for any death or injury to all persons (other than State employees when, but only when, compensation has been paid to them under the State Employee's Compensation Act and there is no liability on the part of the contractor for their injury or death by reason in which such compensation was paid), or for damage, loss, or destruction of property which results from the spraying operation or accident involving the aircraft or facilitating equipment.
- b. The Contractor shall maintain commercial general liability (CGL) and, if necessary, commercial umbrella insurance with a limit of not less than \$1,000,000.00 each occurrence and aggregate. Policies will provide coverage for bodily injury and property damage arising from the aerial application of a chemical pesticide agent using rotary wing aircraft over forestland as specified in this contract. Chemical liability coverage limits shall not be less than \$300,000.00. The CGL shall be written on standard ISO occurrence form (or a substitute form providing equivalent coverage) and shall cover liability arising from premises, operations, independent contractors, product-completed operations, personal injury, and advertising injury, and liability assumed under an insured contract including the tort liability assumed in a business contract.

All policies shall be endorsed to name the State of Idaho, its departments, agents, officials, and employees as additional insureds. All policies shall be written such that the insurance of the Contractor is primary and any insurance carried by the State of Idaho, its departments, agents, officials, and employees shall be excess and not contributory.

- c. The Contractor shall maintain automobile liability insurance which shall provide a minimum \$500,000.00 combined single limit per occurrence and shall include coverage for owned, non-owned, and hired automobiles.
- d. Any claims for damage, loss, or destruction of any item of equipment accepted under this contract that occurs while said item of equipment is being used on authorized work will be considered under applicable laws and regulations. Under no circumstances will a claim be approved for damage, loss, or destruction of said equipment due to ordinary wear and tear or to which negligence on the part of the Contractor, his agent, or employees contributed.
- e. Security of the aircraft and Contractor-owned supplies (including chemicals) and equipment shall be the responsibility of the Contractor at all times.
- f. Excessive damage to roads as a result of the Contractor's spray operation will be paid by the Contractor. This would include, but not be limited to, reshaping the wheeling surface and ditch lines to restore the roads to their condition prior to Contractor use. Such work as may be required will be determined by the Department of Lands, based on existing right-of-way agreements.

38. SAFETY REQUIREMENTS

- a. In order to protect life and health and to prevent damage in the performance of the contract, the Contractor or any of his employees will use due diligence in preventing accidents. The Contractor will maintain a record of all cases of death, injury, or disease arising out of, or in the course of employment on, work under this contract. The record will be available upon call of the Idaho Department of Lands and/or Contract Supervisor. Duplicate accident records shall not be necessary if reporting is already a State of Idaho requirement.
- b. The Contractor will comply with the applicable provisions of the following:
 - (1) Federal Air Regulations except when exceptions are authorized directly by the Federal Aviation Administration (FAA).
 - (2) Applicable State of Idaho and local laws and regulations.

DIVISION B - TECHNICAL SPECIFICATIONS

1. LOCATION AND ACREAGE DETERMINATION

The unit boundaries, other than for easily identified ground features, have been marked with flagging as per the project description.

- a. Any disputes on project acreage(s) by the Contractor must be submitted to the State in writing during the contract period. The State will traverse the unit(s) for the Contractor for the project(s) in question. If the traverse is within 105 percent of the contract acreage, the Contractor will pay for the cost of the traverse. If the traverse acreage exceeds 105 percent of the contract acreage, the Contractor will be paid on the basis of the traverse acreage, and there will be no charge for the traverse.

2. **CERTIFICATION**

- a. The Contractor shall be certified under FAR, Part 133, "External Load Operations" and FAR, Part 137, "Agricultural Aircraft Operations". Proof of these certifications shall be provided to the state at the time the contract is awarded.
- b. The aircraft offered for this contract shall have a standard airworthiness certificate. The installation of any special equipment, called for by this contract must be FAA approved. Proof of this certification shall be provided to the state at the time the contract is awarded.

3. **AIRCRAFT AND SPRAY EQUIPMENT REQUIREMENTS**

Contractor shall provide turbine or gas-powered helicopters with pilots, support and ground personnel, and all facilitating equipment for aerial spraying of rural State forestland as described above and shown on attached maps.

4. **HELICOPTERS**

The helicopter(s) shall be fully maintained in accordance with the manufacturer's specifications and applicable FAR. All applicable manufacturer's mandatory bulletins and FAA Airworthiness Directives shall be complied with prior to and during performance of this contract.

- a. Standard equipment shall include:

- (1) Magnetic compass
- (2) Free air temperature gauge
- (3) Instrument lights, navigation lights, and landing lights
- (4) One anticollision beacon, independently switched white, or white and red strobelight(s) mounted on top of the helicopter or otherwise visible from above.
- (5) ELT - Emergency Location Transmitter
- (6) One set of individual safety belts for each occupant
- (7) FAA approved double-strap shoulder harness with automatic locking inertia reels for each front seat occupant. Shoulder straps and lap belts shall fasten with one single-point, metal-to-metal quick-release mechanism. The shoulder harness shall be installed in accordance with applicable factory recommendations.
- (8) One flight meter recording in hours and tenths and activated by an oil pressure switch wired in series with collective switch or equivalent system to record flight time only.
- (9) First-Aid Kit - Aeronautical.
- (10) Fire extinguisher(s) as required by 14 CFR, 135.155, shall be a handled bottle, minimum 1.50 pounds capacity, containing Class B and C extinguishing agent, that is mounted and accessible to the flight crew.
- (11) A placard stating **NO PASSENGERS** displayed on cabin doors.
- (12) High visibility markings on main rotor blades.

- b. The State reserves the right to require backup helicopters if changing events threaten the successful completion of this contract.
- c. The engine and transmission of any helicopter operating under this contract shall not have less than 100 hours remaining before a major overhaul is due.
- d. Center of Gravity
 - (1) All aircraft shall be configured so the center of gravity will remain within the FAA approved Flight Manual limits for all load requirements and full range of fuel conditions, including ferry with minimum crew without subtraction or addition of ballast.
 - (2) All aircraft shall be loaded so the center of gravity will remain within allowed limits during the flight. Actual weights will be used for flight calculation.
- e. Hazardous Materials

Helicopters may be required to carry hazardous materials. Such transportation shall be in accordance with exemption DOT-E-9198 and the Department of Interior or USDA-FS Aviation Transport of Hazardous Materials Guide. A copy of the exemption and handbook must be aboard each aircraft operating under the provisions of this exemption. It is the Contractor's responsibility to ensure that each employee that may perform a function subject to this exemption receives training on the requirements and conditions of this exemption. Documentation of this training shall be retained by the company in the employee's records and made available to the State as required.

5. APPLICATION AND SPRAY SYSTEM REQUIREMENTS

Each aircraft shall be equipped with an approved standard boom system of the type most commonly employed in aerial applications of this nature. They will be leak proof with large enough diameter to minimize the pressure drop at the required flow rate.

Standard boom type distribution system shall feature Nozzles located so material is not sprayed onto any part of the ship's structure which may cause large drops during application.

The equipment must be capable of the following performances:

- a. Delivery of 10 gallons (1,280 oz.) per acre with a majority of droplet sizes of 100 to 150 microns.
- b. A minimum of 20 droplets per square centimeter.
- c. Produce an effective swath width of at least 50 feet.

6. AIRCRAFT SPRAY SYSTEMS

Following the award of the contract, the State will inspect all aircraft to be used on the project for required equipment and certification. The Contractor is required to report with clean spray tanks and booms equipped according to the specification aforementioned and with helicopter spray systems properly calibrated and characterized.

Prior to the start of spray operation, the Contractor shall demonstrate that the helicopter spray system is properly calibrated and characterized under test flight conditions. The Contractor shall provide an Idaho-based site for calibration purposes. The airspeed used to demonstrate calibration and characterization within the specifications of this contract is the airspeed that the aircraft will be expected to maintain while applying herbicide.

If the Contractor is granted temporary leave from the project prior to completion of the project, the Contractor shall demonstrate that the helicopter spray system is properly calibrated and characterized under test flight conditions before resuming spray application.

All operating expenses incident to any pre-use inspections, including inspections after returning from leave from the project and pilot time during the inspection, shall be borne by the Contractor. NOTE: The State will not have personnel and equipment available to assist in calibrating the Contractor's spray equipment; however, personnel will be available to verify droplet size and number calibration.

At any time during operation under this contract, the State will make, or cause to be made, such tests and inspections as is deemed necessary for the purpose of determining that the Contractor's equipment currently meets specifications. State costs incurred during these inspections will not be charged to the Contractor.

- a. Tanks: Leak proof, corrosion-resistant tanks with exterior filler openings are to be used. Tanks must be clean before spray aircraft will be acceptable. The location and size of tanks should be such as to not impair airworthiness but overloading or displacing the center of gravity enough to prevent surging during filling. Tanks must be vented to the outside of the fuselage. A drain shall be provided at the low point of the spray system to facilitate the complete draining of the tanks and system while the aircraft is parked so that unused herbicide can be recovered.
- b. Pumping Systems: The pumping system must be securely attached and capable of maintaining the pressure required (15 to 40 pounds per square inch during spray operations) to ensure the even distribution of the herbicide. All plumbing and pumps should be large enough to handle the required flow. All parts should be chemically resistant to the spray materials being used.
- c. Recirculation: The aircraft system shall have the capability of recirculating the herbicide formulation within its spray tanks.
- d. Spray Boom: Booms will be as previously described. In addition, they will be configured with a camlock on the ends so as to be able to be emptied with a hose at the end of each day's work.
- e. Pressure Gauge: An accurate spray pressure gauge with an operating range of 0 to 100 psi should be located so that it can easily be read by the pilot.
- f. Flow Meter: A Crophawk, or equivalent, shall be included in the spray system to allow constant monitoring of the flow of the material through the system.
- g. Shutoff: To avoid contamination of areas not scheduled for treatment, the entire spray system must be leak proof and have a positive shutoff mechanism capable of eliminating dripping from the nozzles. No leakage will be permitted.
- h. Clean System: All aircraft spray systems and tanks must be cleaned of all foreign material. No residues from prior projects will be acceptable. The system will also be flushed with "Nalcotrol" or equal in water, prior to the start of this spray operation. During the spray program, it will be necessary to flush the spray system with water daily or when the operation is delayed because of bad weather, etc.
- i. Strainer: Each aircraft must be equipped with a 30-mesh in-line strainer to filter all material before it enters the spray boom.

- j. Emergency Quick Dumps: Each application aircraft shall have an adequately guarded pilot switch which will prevent accidental activation of the dumping system. Each spray tank shall have a "positive-locking gate" valve of a type approved by the state.
- k. Replacement Parts: Extra nozzles and diaphragms shall be kept with each helicopter for use whenever a nozzle is determined to be leaking excessively.

7. INFORMATION LIST

Prior to start of work, the Contractor shall provide information lists on the following:

- a. Aircraft: "n" number, observation or application, make and model, Idaho certification number and date, maximum allowable gallons, and weight aircraft will carry at 2,000, 3,000, and 4,000 feet above sea level at 70°F.
- b. Pilots: Idaho registration number, medical date, pilot's license number, Idaho Professional Pesticide Applicator license number (application pilots), and aircraft number assigned.
- c. Vehicles: License numbers, state PUC license number, vehicle number, vehicle use, and assigned driver.
- d. Tanker Trucks (including fuel trucks): Tank size (gallons), number of separate compartments and compartment sizes (gallons), road worthiness inspection date, officer, and results; maximum allowable carrying capacity (gallons and weight) allowed by Idaho state law; and meter certificate date, date sealed, and by whom.
- e. Truck Drivers: Commercial Drivers License (CDL) numbers and states.
- f. Personnel: All involved and their duties.

8. SPRAY SHIP RADIO RECEIVER/TRANSMITTER EQUIPMENT

- a. ELT shall be an automatic fixed and automatic portable ELT (ELT/AAF and ELT/AP) meeting TSO-C91 and be attached to the helicopter in the cabin in a conspicuously marked location, easily accessible and removable in the event of an accident.
- b. VHF/AM airways communications system shall have a minimum 720 crystal-controlled transmit and receive channels in 25 KHz increments and a minimum of 5 watts transmit carrier power. A weatherproof external broadband antenna shall be used and be mounted on the exterior of the helicopter.
- c. Provisions to operate the State furnished VHF/FM radio through the "audio control system" shall be in the helicopter. This shall include all necessary wiring, connectors, cables, mounting rack and/or tie downs, amplifiers, and switches.
- d. Radio communication will be required between the pilot-in-command and the Idaho Department of Lands ground personnel at all times during spraying operations. These communication requirements, at the Contractor's option, may be met in any of the following ways:
 - (1) The Idaho Department of Lands would provide a portable battery-operated radio unit for the helicopter. The Contractor will provide the necessary clip-on temporary antenna and wire the radio microphone into the pilot's headset. The Contractor would be responsible for all wiring hookups and securing the portable radio in the cockpit.

- (2) The Contractor's radio communications system would be used by Idaho Department of Lands ground personnel. The Contractor will be required to provide a minimum of two (2) hand-held portable radio units on each project for use by department employees to communicate with the pilot-in-command.
- (3) The Contractor's radio shall be designated unavailable for service by state employees.
- e. Aircraft with malfunctioning radios shall be designated unavailable for service by the Contract Supervisor.
- f. Global Positioning System (GPS) shall be used for locating the position of the aircraft at all times by references latitude and longitude coordinates. A GPS approved for at least VFR navigation shall be permanently installed in the aircraft and powered by the aircraft electrical system. This system must be specifically designed for aircraft installation with a fixed aircraft approved antenna. Hand-held and marine types are not acceptable. GPS receiver and indicator shall be FAA approved.

9. FACILITATING EQUIPMENT

- a. Herbicide Mixing and Measuring Devices: Contractor shall furnish pumps and other equipment necessary to prepare the specified herbicide mixtures to maintain herbicide mechanically in a mixed state and to load such herbicide mixtures in the aircraft specified.
- b. Dispensing Herbicide from Barrels: To minimize spills on contamination, the Contractor shall furnish barrel pumps with probes having a check valve at the fool end. Also, if a hand pump is used, the hose shall have a ball valve or other shut off device at its terminal end to allow for shutting off all flow. When the barrel pump is being moved from one barrel to another, a worker wearing rubber gloves will wipe the stem clean as it is withdrawn to prevent spilling during the transfer. When empty, the barrels will be rinsed and the rinsate added to the mix tank, counting it only as water.
- c. Tanker
 - (1) All tankers must have valid state certificates for load limitations and safety requirements.
 - (2) Contractor shall furnish tankers with no less than a 400- gallon capacity. Each tank truck shall be equipped with an agitation system capable of keeping the herbicide evenly distributed in the tank. Hoses with camlock-type fittings shall be used. Filler holes in tanks must have leakproof covers at all times and have the capability to be locked. Each tanker shall be equipped with a pump capable of rapid mixing. A State certified and sealed cumulative pump meter is required on equipment delivering herbicide to the aircraft. The meter shall be certified and sealed 60 days prior to commencing application in accordance with state regulations.
 - (3) All ground vehicles shall have the power to negotiate roads in the contract area with a full load and have all necessary licenses and permits to operate on public roads. All ground vehicles shall be capable of transporting fuel and pesticides over rough mountainous terrain to include grades of up to seven percent (7%) or more.
 - (4) Contractor shall supply and use, when necessary, dust abatement measures at helispots.
 - (5) All herbicide mixing, storage, and application equipment shall be thoroughly cleaned and free of rust, residues, and particulate matter such as grit, sand, and petroleum residues, prior to any use of herbicides for this contract.

- d. Pumps: Pumps used for circulation and mixing must produce a sufficient flow rate to fill the aircraft it supplies at a minimum rate of 50 gallons per minute.
- e. Strainers: An in-line strainer must be located prior to the intake of the meter. This strainer may be on either side of the pump. The strainer elements used to screen the herbicide must be of 30-40 mesh size and fit properly in the strainer housing.
- f. Maintenance: Ground equipment shall be inspected and maintained daily to operate efficiently and to prevent leakage of herbicide carrier or spray mixture.
- g. Security: All valves, plumbing, hoses, and similar equipment on tankers shall be enclosed in locked compartments to prevent removal of herbicide mixtures by unauthorized personnel.
- h. Movement of Equipment: Ground or aircraft equipment containing herbicide will not be moved from the operating areas for reasons such as storage, mixing, or loading site without notification of a state representative. Ground transport of herbicide will be supervised by the state.

10. ITEMS TO BE FURNISHED BY THE STATE

- a. Guide for prospective bidders at the time spraying areas (units) are visited.
- b. A representative to acquaint Contractor's pilot(s) with project boundaries.
- c. Maps and aerial photographs for orientation of pilot(s).
- d. Staff personnel for marking spray block boundaries.
- e. Helispots for aerial spraying as described in Division B, paragraph 11.

11. HELISPOTS

The State will provide at least one helispot within one mile of the herbicide spray project area. Each helispot will meet the following specifications:

- a. Helispots on ridge tops will have a cleared area of 100 feet by 200 feet with the longer dimension oriented into the prevailing wind.
- b. Helispots in bottom land areas, such as meadows where the terrain is level, will have a cleared area of 100 feet by 300 feet with the longer dimension oriented into the prevailing wind.
- c. Touchdown pads within each helispot will have at least 25 feet by 25 feet cleared of all debris and stumps and will be level.
 - (1) Touchdown pads on ridge top helispots will be centered within the 100 foot by 200 foot cleared area.
 - (2) Touchdown pads will be located at least 50 feet (measured from the center of the touchdown pad to the edge of the cleared area) from the narrow dimension (100-foot width) edges of the helispot.
- d. Each helispot location is shown on the attached project map(s) with the longer dimension oriented into the prevailing wind. The arrow within the helispot diagram indicates the prevailing wind direction.

- e. Each helispot will have a wind sock or ribbon, provided by the State, and located so that it is easily visible to the pilot.

12. PERSONNEL

Spray Ship Pilot Requirements: Each spray ship Pilot- in-Command shall have flight time and experience as pilot-in-command with the following minimum amounts as substantiated by pilot logbook. All pilots shall be OAS or USFS carded for anticipated contract uses:

	<u>Flight Hours</u>
a. Pilot-in-Command of helicopter	1,500
b. Operations over Mountainous Terrain	500
c. In Make and Model to be Used on Contract	100
d. Hours during Preceding 60 Days in Same Make and Model to be Used on Contract	20
e. Hours of Spraying with Helicopters in the Forest Environment	25
f. Take-off and Landings at Typical Altitudes and Helispots	20

Each pilot shall be able to furnish for inspection a FAA commercial or Airline Transport Pilot Certificate with appropriate rating (Rotocraft Helicopter) and a valid Class I or Class II FAA medical certificate. Pilot must be qualified for Class A and B external load operations and must have a valid Idaho Commercial Applicator/Operator Pesticide License (Professional Applicator).

The Contract Supervisor reserves the right to reject (entirely or for specific flights) any pilot who in the opinion of the Contract Supervisor, violates contract rules or is unsafe or otherwise unsatisfactory.

Any pilot flying under this contract who becomes involved in an accident will be required to have a flight examination by a designated FAA examiner prior to resuming flight duty for the state.

a. Pilot-in-Command

- (1) Is responsible at all times for the safety of the helicopter, its occupants, and cargo. He shall comply with direction of the Contract Supervisor and the designated flight officer except when, in his judgment, such compliance will be a violation of Federal Air Regulation Directives of the FAA or is a flight that will endanger the aircraft or its occupants.
- (2) Shall not permit any passenger to ride in the helicopter.
- (3) Shall wear an aviator's protective helmet equipped with boom-microphone and headset compatible with helicopter's radio equipment during all flights.
- (4) Shall wear flame resistant clothing on all flights. Accepted clothing will include flight suit made of Polyamide or Arimide; leather boots; and leather, Arimide, or polyamide gloves.

b. Ground Personnel

Contractor shall furnish experienced, properly licensed personnel for mixing herbicide, loading herbicide into aircraft, driving and operating ground equipment, and for maintaining and servicing of ground and aerial equipment.

c. Flight and Duty Limitations – Pilot

- (1) All pilots flying aircraft under this contract may fly a maximum of eight (8) hours per day. Pilots may be removed from flying before the eight-hour maximum is flown due to fatigue caused by unusual strenuous or stressful flying conditions.
- (2) Flight time shall not exceed a total of forty-two (42) hours in any six (6) consecutive days.
- (3) Pilots accumulating thirty-six (36) or more hours of flying in any six (6) consecutive days.
- (4) Within any twenty-four (24) hour period, pilots shall have a minimum of ten (10) consecutive hours off duty immediately prior to the beginning of a duty day.
- (5) Two (2) days off per fourteen (14) day period. These days need not be consecutive.
- (6) Duty time includes flight time, ground duty of any kind, and standby status at any location.

13. RECONNAISSANCE FLIGHTS

- a. Under no circumstances will the pilot-in-command be permitted to carry a state employee as a crew member.
- b. The Contractor will make all necessary reconnaissance flights as a service incidental to spray operations at no charge to the state.

14. BUFFER ZONES & CONTROL AREAS

- a. No spray will be applied to live (flowing) streams or open waters. Such streams and water bodies within or adjacent to project areas will be defined on project maps, and a 100-foot buffer zone will be left unsprayed on each side of the live stream or open body of water.
- b. Net project acreage listed on each of the attached project descriptions are those acres to be actually sprayed and exclude all buffer zones and control areas.

15. HERBICIDE SPECIFICATIONS

Herbicide to be used shall be liquid, and mixed, stored, and applied per the manufactures label guide. Rate(s) of application per acre are specified in the attached project description(s).

16. AERIAL SPRAY APPLICATION

- a. All chemical applications will be made in compliance with the Idaho Department of Agriculture Pesticide Law Rules and Regulations and in compliance with the Idaho Forest Practices Act Rules and Regulations.
- b. Herbicides to be used and rates of application are specified in the attached project description(s).

c. Climatic requirements during spray operations:

- (1) Maximum air temperature - 80°F
- (2) Relative humidity - minimum of 40 percent
- (3) Maximum wind speed - 7 miles per hour
- (4) No rain six (6) hours before or six (6) hours after herbicide application, unless a specific exception is made in the project description.

d. Flying Requirements:

- (1) Maximum flying speed - 50 miles per hour
- (2) Flying height - The Pilot-in-Command shall fly as close to the target vegetation as practical from the standpoint of safety and spray apparatus design.
- (3) Spray pattern - The project will be flown with a minimum 50-foot swath with 40-foot centers to provide an approximate 10-foot spray overtop. Project boundaries and buffer zones will be flown parallel for at least two (2) swath widths. The remaining areas can be flown on the contour.
- (4) Uniformity of the spray pattern will not vary more than ten percent (10%) from the established as acceptable to the State. Any areas missed by the contractor or sprayed less than the concentration specified shall be re-flown and brought up to the specified standard.
- (5) The spraying mechanism shall be turned off when the helicopter makes 180-degree turns.
- (6) Complete flushing of the spray equipment will be required before commencing from one spray area to the next. The flushing operation will be accomplished by spraying solution through the spray nozzles while flying a normal spray pattern over the project area. Usage of the emergency dump valve will be prohibited except during emergency situations.
- (7) The Contract Supervisor shall inspect and approve all spraying, mixing, and other support equipment to be used for compliance with contract requirements.

17. CHEMICAL SPILLAGE

The Contractor will be responsible for keeping chemical spillage cleaned up during and after completion of each project. This includes, but is not limited to, spillage associated with chemical transportation, loading operations on the helispots, and jettisoned payloads.

- a. The Contract Representative or pilot-in-command shall notify the Contract Supervisor of any spilled chemical and take immediate action to contain, neutralize, or isolate spilled chemicals as directed by the Contract Supervisor. All spillage must be cleaned up to satisfaction of the Idaho Department of Lands.
- b. The Idaho Department of Lands may take whatever action is deemed necessary to contain, neutralize, or isolate any spillage. The Idaho Department of Lands will have the latitude of either billing the Contractor directly for the costs incurred in abating the spillage, deducting costs from the contract payment, or deducting the costs from the Contractor's performance bond.

Signature Page

IN WITNESS WHEREOF, the parties have caused this contract to be executed effective this

_____ day of _____ 20____, in Boise, Idaho.

IDAHO DEPARTMENT OF LANDS

CONTRACTOR

By _____

By _____

Date _____

Date _____

Contractor's Social Security
or Employer Number

Taxpayer ID# (TIN)

Contractor's Phone/Contact No.

_____ email if available

CONTRACT NO. 09-213-300566
HERBICIDE SPRAYING
PROJECT DESCRIPTION

SUPERVISORY AREA: St. Joe

PROJECT NUMBER: FM #30-566-104-09

PROJECT NAME: North Wilson Herbicide Spraying

PROJECT AREA: 87 Acres

PROJECT LOCATION: The project is located 4 miles northeast of Santa, Idaho.

<u>Subdivision</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Net Acres</u>
Pts. SENW	17	44N	1E	2
Pts. SW	17	44N	1E	60
Pts. W2SE	17	44N	1E	25

All acreage is net horizontal.

PERIOD OF CONTRACT: Contract work may commence once the Contractor has received a signed copy of the contract and has had a prework conference with the Contract Supervisor. The contract will expire on September 7, 2009.

METHOD OF PAYMENT: Payment will be made upon satisfactory completion of the contract requirements. Payment to be made at the rate(s) set forth in Schedule A attached hereto.

TIME OF APPLICATION: July 15 through August 7, 2009, dependent upon weather conditions.

OBJECTIVE: The objective of this project is to kill brush and grass species present in order to prepare the site for planting. Brush species present include ninebark, ocean spray, and maple.

HERBICIDE REQUIREMENTS: Two (2) quarts per acre of Accord Concentrate, 1 gallon per acre of Atrazine 4L (4lbs. a.i./acre), 6.4 ounces per acre of Syl-Tac, and 20 ounces per acre of In-Place in 10 gallons/acre water solution.

The Contractor will furnish the Accord Concentrate, Atrazine 4L, Syl-Tac, In-Place, and water. An adequate water supply is not available within the project area. The herbicide shall be batch mixed by the Contractor under State supervision prior to the scheduled start of the days spraying. In most cases, the mixing will be done the morning of the spraying. Mixed material must be sprayed within 72 hours. Mixed herbicides should not be stored beyond the limits described on the label.

Joel Fields, Technical Sales Representative, with Wilbur-Ellis Company provided the herbicide prescription for the unit.

CARRIER: Water will be the carrier for the applications and will be provided by the Contractor. Water will be clean, free of particulate matter and within a suitable pH for mixture with Accord, Atrazine, Syl-Tac, and In-Place (pH not greater than 6.0). (The contractor may need to buffer water with Tri-Fol prior to batching to reach the desired pH.)

CLEAN-UP AND HANDLING OF HERBICIDES:

1. Any leaks and/or spills will be the immediate responsibility of the Contractor to clean up and dispose of according to State laws and regulations. Transferring of herbicide from containers to mix tank and from mix tank to spray tank will be done in a manner so as to eliminate spills and leaks. All spills, large or small, will be cleaned up.
2. The Contractor shall drain all herbicide residue from truck and helicopter tanks, including plumbing, prior to equipment being released from this contract. At the end of each day's spraying, the rinse residue from the spray tank will be placed in the mix tank and added to the next day's spray mixture or aurally sprayed over an approved site.
3. Empty herbicide containers shall be triple rinsed with water as required by national and Idaho State herbicide laws. Empty, rinsed herbicide containers shall be removed by the Contractor from the operation site and disposed of in accordance with existing laws and regulations.

SUPERVISION: A State representative must be present at all times to observe the application.

The following State representatives have the authority to suspend spraying on a block:

1. Project Leader
2. Technical Assistant

Inspection of application operations will be accomplished by the following means:

1. State inspector shall be on the ground to observe spray deposition.
2. A random placement of spray droplet detection cards shall be accomplished to determine if application has met the on-the-ground deposition standards.


Unit boundaries will be marked on the ground. Coordinates or shape files for the spray units will be provided to the Contractor upon request.


INFORMATION: Further information is available by contacting the following:

Ron Valek
Idaho Department of Lands
St. Joe Supervisory Area
1806 Main Avenue
St. Maries, ID 83861
Phone: (208) 245-4551
Fax: (208) 245-4867

Page Left Blank for Two Sided Printing

Vicinity Map





**CONTRACT NO. 09-213-420111
HERBICIDE SPRAYING
PROJECT DESCRIPTION**

SUPERVISORY AREA: Maggie Creek

PROJECT NUMBER: 42-111-104-09

PROJECT NAME: Maggie Creek Aerial Site Prep

PROJECT AREA: 281 Acres

PROJECT LOCATION: The project will incorporate three individual areas. Unit 1 (Wilson-Suttler) is approximately 12 air miles northeast of Kooskia, ID. Unit 2 (Cemetery Pulp clearcuts) is approximately 1.5 air miles southwest of Weippe, ID. Unit 3 (Grasshopper Ridge clearcut) is approximately 1.5 air miles northeast of Weippe, ID.

<u>Subdivision</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Net Acres</u>
<u>Unit 1</u>				44
Pts. NW	26	33N	5E	
Pts. NENE, Pts. SWSW	27	33N	5E	
<u>Unit 2</u>				173
Pts. S2S2	21	35N	4E	
Pts. NE, Pts. E2NW	28	35N	4E	
Pts. NESE	28	35N	4E	
<u>Unit 3</u>				64
Pts. SWSW	31	36N	5E	
Pts. SE	36	36N	4E	
Pts. Govt. Lots 1-2	1	35N	4E	
Total Acres:				281

All acreage is net horizontal.

UNIT HISTORY:

Unit 1 is two subunits created by two direct sales (DS-42-5274 & DS-42-5280) and the Wilson-Suttler Divide Pulp timber sale (TS-42-3514). Logging operations were completed in the fall of 2007 and summer of 2008. Subunit 1 was broadcast burned in the spring of 2008. Burning of subunit 2 is scheduled for the fall of 2009.

Unit 2 is the result of TS-42-3650 (Cemetery Pulp). This unit is comprised of two clearcut subunits which are currently being harvested and will be completed in July of 2009. The subunits are scheduled to be burnt in September 2009.

Unit 3 is comprised of a 40 acre clearcut plus 24 acres of an adjacent seed tree unit that

was subsequently harvested due to wind-thrown timber, as well as, insect and disease infestation associated with the Grasshopper Ridge timber sale (TS-42-3534) cancelled in the winter of 2008. Broadcast burning of this area will be completed by the end of September 2009.

PERIOD OF CONTRACT: Contract work may commence once the Contractor has received a signed copy of the contract and has had a prework conference with the Contract Supervisor. The contract will expire on December 31, 2009.

TIME OF APPLICATION: October 15 through November 30, 2009, dependent upon weather conditions.

OBJECTIVE: The objective of this project is to eliminate grass competition and enhance seedling establishment and survival. All three units will be planted in the spring of 2010.

HERBICIDE REQUIREMENTS:

Atrazine @ 1 gal/ac
Water @ 9 gallons/acre with above mixture

The Contractor will furnish the Atrazine and water. An adequate water supply is not available within the project area. Suitable fill sites for the water truck are at the Maggie Creek Area office and at the Empire mill in Weippe. Fill sites must be preapproved by the State. The herbicide shall be batch mixed by the Contractor under State supervision prior to the scheduled start of the days spraying. In most cases, the mixing will be done the morning of the spraying. Mixed material must be sprayed within 72 hours. Mixed herbicides should not be stored beyond the limits described on the label.

CARRIER: Water will be the carrier for the applications and will be provided by the Contractor. Water will be clean, free of particulate matter and within a suitable pH for mixture with Atrazine.

CLEAN-UP AND HANDLING OF HERBICIDES:

1. Any leaks and/or spills will be the immediate responsibility of the Contractor to clean up and dispose of according to State laws and regulations. Transferring of herbicide from containers to mix tank and from mix tank to spray tank will be done in a manner so as to eliminate spills and leaks. All spills, large or small, will be cleaned up.
2. The Contractor shall drain all herbicide residue from truck and helicopter tanks, including plumbing, prior to equipment being released from this contract. At the end of each day's spraying, the rinse residue from the spray tank will be placed in the mix tank and added to the next day's spray mixture or aerially sprayed over an approved site.

3. Empty herbicide containers shall be triple rinsed with water as required by Federal and Idaho State herbicide laws. Empty, rinsed herbicide containers shall be removed by the Contractor from the operation site and disposed of in accordance with existing laws and regulations.

SUPERVISION: A State representative must be present at all times to observe the application.

The following State representatives have the authority to suspend spraying on the site:

1. Project Leader
2. Technical Assistant

Inspection of application operations will be accomplished by the following means:

1. State inspector shall be on the ground to observe spray deposition.
2. A random placement of spray droplet detection cards shall be accomplished to determine if application has met the on-the-ground deposition standards.


Unit boundaries will be marked on the ground. Coordinates or shape files for the spray units will be provided to the contractor upon request.

INFORMATION: Further information is available by contacting the following:


Idaho Department of Lands
Maggie Creek Supervisory Area
Tyler Nelson
Route 2, Box 190
Kamiah, ID 83536
(208)-935-2141

Page Left Blank for Two Sided Printing

**MC Aerial Site Preparation
42-111-104-09
Kooskia Vicinity Map**



**MC Aerial Site Preparation
42-111-104-09
Weippe Vicinity Map**




2



0

2




4 Miles




MC Aerial Site Preparation
42-111-104-09
T33N, R5E
Unit 1



MC Aerial Site Preparation
42-111-104-09
T35N, R4E
Unit 2



MC Aerial Site Preparation
42-111-104-09
T35N & 36N, R4E & 5E
Unit 3



JOE3 2009

Legend

- Sections
- Roads
 - County, FS Main
 - Highway, Street
 - Main Haul
 - Secondary
 - Spur
- Project Area
- 40' Contour
- IDL Land

Page Left Blank for Two Sided Printing

**CONTRACT NO. 09-213-600303
FOREST AERIAL SPRAY
PROJECT DESCRIPTION**

Supervisory Area: Southwest

Project Name: Hardrock Herbicide

Project Number: 60-303-107-09

Project Acreage: 320

Location: The project consists of one contiguous unit in the Boise Basin, located 3 air miles south of Idaho City in the Grayback Gulch and Steamboat Gulch drainages. The legal description and sizes of these units are as follows:

<u>Unit</u>	<u>Subdivision</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Acres</u>
1	Pts. SWNE, Pts. SENW, Pts. SE	10	5N	5E	84
	Pts. SESE	11	5N	5E	214
	Pts. S2SW	12	5N	5E	14
	Pts. NENW	13	5N	5E	1
	Pts. NENE	14	5N	5E	7
TOTAL					320

<u>Unit</u>	<u>Elevation</u>	<u>Habitat Type</u>	<u>Slope</u>	<u>Aspect</u>
1	5120-6080	DF/PHMA	0 - 50%	NW to NE

Site History:

The project area has been harvested by several timber sales over 20 years. The most recent was the Hardrock Timber Sale (TS-60-3552), which clearcut 59 acres of the project area in Dry Creek.

The North Fork Thorn Timber Sale (TS-6-3084) harvested 35 acres in a wind-damaged timber harvest in the Dry Creek drainage in 1997-2000.

The California Gulch Timber Sale (TS-6-2606) harvested 101 project acres in the Grayback Gulch drainage and 56 acres in the Dry Creek drainage in 1988-1991.

The Dry Creek-Steamboat Timber Sale (TS-6-2397) harvested the 15 project acres in sections 12 & 13 in the Dry Creek drainage in 1986-88.

The Pine Creek Timber Sale (TS-6-2068) harvested 54 acres of the project area in the Dry Creek drainage in 1974-82.

Each of these harvest operations, except the Hardrock clearcut, created areas lightly marked with reserve trees in an effort to remove the diseased Douglas-Fir trees. The reserved stands have fallen below FPA stocking levels and will not regenerate naturally within required time-frames. Habitat type throughout the project is is Psme/Phma.

Project boundaries follow prominent ridges, draws, or roads. All boundaries will be marked with orange garbage bags and are easily visible from the air. Buffer zones for streams will be excluded from all units. Existing roads will provide the necessary access into the spraying area.

PERIOD OF THE CONTRACT:

Contract work may commence once the contractor has received a signed copy of the contract and has had a pre-work conference with the contract supervisor. The contract will expire on November 30, 2009.

TIME OF APPLICATION:

September 21 - October 18, 2009, as determined by the State. Application must begin within one week of notice by the State. Treatment will be accomplished in one or two days.

OBJECTIVES:

This treatment will kill or inhibit growth of most broadleaf species on these sites. This practice will aid in preparing the site for planting and releasing existing natural regeneration. Hardwood species present include ninebark, syringa, spirea, chokecherry, bittercherry, willow, shiny leaf ceanothus and serviceberry. Ninebark is the predominant brush species in the treatment area.

HERBICIDE REQUIREMENTS:

The Contractor will provide all herbicide, and equipment necessary to complete the contract.

The herbicide to be used in this project is "Velpar" "ULW", in a granular formulation. Active ingredients are; Hexazinone (3 cyclohexyl-6-(dimethylamino)-1-methyl-1,3,5-triazine-2,4(1H,3H)-dione).....75%, combined with 25% INERT INGREDIENTS.

The rate of application of this herbicide shall be four (4) pounds per acre or three (3) pounds per acre of active ingredient. This material will be spread by helicopter-mounted grass-seeding or fertilizing apparatus.

Carrier: Dry inert ingredients that form small granules.

Cleanup and Handling of Herbicides:

1. Any leaks and/or spills will be the immediate responsibility of the contractor to clean up and dispose of according to State laws and regulations. Transferring of herbicide from containers to dispersal tank will be done in a manner so as to eliminate spills and leaks. All spills, large or small, will be cleaned up immediately.
2. Empty herbicide containers shall be disposed of by the contractor according to the label.

Supervision: A state representative must be present at all times to observe the application. The state representative has the authority to suspend spreading on a block.

Inspection of application operations will be accomplished by the following means:

1. Spread rates will be monitored by breaking units into sub units of known acreage and checking the poundage spread on those units to insure proper rates of dispersal.

INFORMATION: Further information is available by contacting the following:


Idaho Department of Lands
Southwest Area Office
8355 West State Street
Boise, Idaho 83703
Phone: (208) 334-3488
Fax: (208) 853-6372

John Roberts
jroberts@idl.idaho.gov

Page Left Blank for Two Sided Printing

Hardrock Herbicide Vicinity Map

Project 60-303-107-09



LEGEND


- SWI Road Layer
- Paved and County
- Main
- Secondary
- Spur
- Southwest Streams
- Herbicide Unit



Hardrock Herbicide

Project 60-303-107-09

T5N, R5E



Legend

SWI Road Layer

Paved and County

Main

Secondary


Spur

Southwest Streams

Herbicide Unit

State Lands

0.4 0 0.4 0.8 Miles



JPR 4/23/09